

**DEPTH GAGE CHART FOR ZCL COMPOSITES INC. VERTICAL STORAGE TANKS  
MODEL P60V - 50 bbl**

DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)	DEPTH (cm)	VOLUME (liters)
1	26	51	1309	101	2593	151	3877	201	5160	251	6444	301	7642
2	51	52	1335	102	2619	152	3902	202	5186	252	6470	302	7662
3	77	53	1361	103	2644	153	3928	203	5212	253	6495	303	7681
4	103	54	1386	104	2670	154	3954	204	5237	254	6521	304	7700
5	128	55	1412	105	2696	155	3979	205	5263	255	6547	305	7719
6	154	56	1438	106	2721	156	4005	206	5289	256	6572	306	7737
7	180	57	1463	107	2747	157	4031	207	5314	257	6598	307	7756
8	205	58	1489	108	2773	158	4056	208	5340	258	6624	308	7773
9	231	59	1515	109	2798	159	4082	209	5366	259	6649	309	7791
10	257	60	1540	110	2824	160	4108	210	5391	260	6675	310	7808
11	282	61	1566	111	2850	161	4133	211	5417	261	6701	311	7825
12	308	62	1592	112	2875	162	4159	212	5443	262	6726	312	7842
13	334	63	1617	113	2901	163	4185	213	5468	263	6752	313	7858
14	359	64	1643	114	2927	164	4210	214	5494	264	6778	314	7874
15	385	65	1669	115	2952	165	4236	215	5520	265	6803	315	7889
16	411	66	1694	116	2978	166	4262	216	5545	266	6829	316	7904
17	436	67	1720	117	3004	167	4287	217	5571	267	6854	317	7919
18	462	68	1746	118	3029	168	4313	218	5597	268	6879	318	7933
19	488	69	1771	119	3055	169	4339	219	5623	269	6905	319	7947
20	513	70	1797	120	3081	170	4365	220	5648	270	6930	320	7961
21	539	71	1823	121	3107	171	4390	221	5674	271	6955	321	7974
22	565	72	1848	122	3132	172	4416	222	5700	272	6980	322	7987
23	590	73	1874	123	3158	173	4442	223	5725	273	7005	323	8000
24	616	74	1900	124	3184	174	4467	224	5751	274	7030	324	8012
25	642	75	1926	125	3209	175	4493	225	5777	275	7055	325	8023
26	668	76	1951	126	3235	176	4519	226	5802	276	7079	326	8034
27	693	77	1977	127	3261	177	4544	227	5828	277	7104	327	8045
28	719	78	2003	128	3286	178	4570	228	5854	278	7128	328	8056
29	745	79	2028	129	3312	179	4596	229	5879	279	7153	329	8065
30	770	80	2054	130	3338	180	4621	230	5905	280	7177	330	8075
31	796	81	2080	131	3363	181	4647	231	5931	281	7201	331	8084
32	822	82	2105	132	3389	182	4673	232	5956	282	7225	332	8092
33	847	83	2131	133	3415	183	4698	233	5982	283	7248	333	8100
34	873	84	2157	134	3440	184	4724	234	6008	284	7272	334	8108
35	899	85	2182	135	3466	185	4750	235	6033	285	7295	335	8115
36	924	86	2208	136	3492	186	4775	236	6059	286	7319	336	8122
37	950	87	2234	137	3517	187	4801	237	6085	287	7342	337	8128
38	976	88	2259	138	3543	188	4827	238	6110	288	7365	338	8133
39	1001	89	2285	139	3569	189	4852	239	6136	289	7387	339	8138
40	1027	90	2311	140	3594	190	4878	240	6162	290	7410	340	8143
41	1053	91	2336	141	3620	191	4904	241	6187	291	7432	341	8147
42	1078	92	2362	142	3646	192	4929	242	6213	292	7454	342	8151
43	1104	93	2388	143	3671	193	4955	243	6239	293	7476	343	8154
44	1130	94	2413	144	3697	194	4981	244	6264	294	7498	344	8156
45	1155	95	2439	145	3723	195	5006	245	6290	295	7519	345	8158
46	1181	96	2465	146	3748	196	5032	246	6316	296	7540	346	8160
47	1207	97	2490	147	3774	197	5058	247	6341	297	7561	347	8160
48	1232	98	2516	148	3800	198	5083	248	6367	298	7582	348	8161
49	1258	99	2542	149	3825	199	5109	249	6393	299	7602		
50	1284	100	2567	150	3851	200	5135	250	6418	300	7622		

DEPTH GAGE CHART FOR ZCL COMPOSITES INC. VERTICAL STORAGE TANKS  
MODEL P60V - 10000 litres

LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)
1	26	51	1309	101	2593	151	3877	201	5160	251	6444	301	7728	351	9011	401	10076
2	51	52	1335	102	2619	152	3902	202	5186	252	6470	302	7753	352	9036	402	10090
3	77	53	1361	103	2644	153	3928	203	5212	253	6495	303	7779	353	9061	403	10104
4	103	54	1386	104	2670	154	3954	204	5237	254	6521	304	7805	354	9086	404	10118
5	128	55	1412	105	2696	155	3979	205	5263	255	6547	305	7830	355	9112	405	10131
6	154	56	1438	106	2721	156	4005	206	5289	256	6572	306	7856	356	9137	406	10144
7	180	57	1463	107	2747	157	4031	207	5314	257	6598	307	7882	357	9162	407	10156
8	205	58	1489	108	2773	158	4056	208	5340	258	6624	308	7907	358	9187	408	10168
9	231	59	1515	109	2798	159	4082	209	5366	259	6649	309	7933	359	9211	409	10180
10	257	60	1540	110	2824	160	4108	210	5391	260	6675	310	7959	360	9236	410	10191
11	282	61	1566	111	2850	161	4133	211	5417	261	6701	311	7984	361	9261	411	10202
12	308	62	1592	112	2875	162	4159	212	5443	262	6726	312	8010	362	9285	412	10212
13	334	63	1617	113	2901	163	4185	213	5468	263	6752	313	8036	363	9309	413	10222
14	359	64	1643	114	2927	164	4210	214	5494	264	6778	314	8062	364	9333	414	10231
15	385	65	1669	115	2952	165	4236	215	5520	265	6804	315	8087	365	9357	415	10240
16	411	66	1694	116	2978	166	4262	216	5545	266	6829	316	8113	366	9381	416	10249
17	436	67	1720	117	3004	167	4287	217	5571	267	6855	317	8139	367	9405	417	10257
18	462	68	1746	118	3029	168	4313	218	5597	268	6881	318	8164	368	9429	418	10265
19	488	69	1771	119	3055	169	4339	219	5623	269	6906	319	8190	369	9452	419	10272
20	513	70	1797	120	3081	170	4365	220	5648	270	6932	320	8216	370	9475	420	10278
21	539	71	1823	121	3107	171	4390	221	5674	271	6958	321	8241	371	9498	421	10284
22	565	72	1848	122	3132	172	4416	222	5700	272	6983	322	8267	372	9521	422	10290
23	590	73	1874	123	3158	173	4442	223	5725	273	7009	323	8293	373	9544	423	10295
24	616	74	1900	124	3184	174	4467	224	5751	274	7035	324	8318	374	9566	424	10300
25	642	75	1926	125	3209	175	4493	225	5777	275	7060	325	8344	375	9589	425	10304
26	668	76	1951	126	3235	176	4519	226	5802	276	7086	326	8370	376	9611	426	10307
27	693	77	1977	127	3261	177	4544	227	5828	277	7112	327	8395	377	9632	427	10310
28	719	78	2003	128	3286	178	4570	228	5854	278	7137	328	8421	378	9654	428	10313
29	745	79	2028	129	3312	179	4596	229	5879	279	7163	329	8447	379	9675	429	10315
30	770	80	2054	130	3338	180	4621	230	5905	280	7189	330	8472	380	9697	430	10316
31	796	81	2080	131	3363	181	4647	231	5931	281	7214	331	8498	381	9718	431	10317
32	822	82	2105	132	3389	182	4673	232	5956	282	7240	332	8524	382	9738	432	10317
33	847	83	2131	133	3415	183	4698	233	5982	283	7266	333	8549	383	9759		
34	873	84	2157	134	3440	184	4724	234	6008	284	7291	334	8575	384	9779		
35	899	85	2182	135	3466	185	4750	235	6033	285	7317	335	8601	385	9799		
36	924	86	2208	136	3492	186	4775	236	6059	286	7343	336	8626	386	9818		
37	950	87	2234	137	3517	187	4801	237	6085	287	7368	337	8652	387	9838		
38	976	88	2259	138	3543	188	4827	238	6110	288	7394	338	8678	388	9857		
39	1001	89	2285	139	3569	189	4852	239	6136	289	7420	339	8703	389	9875		
40	1027	90	2311	140	3594	190	4878	240	6162	290	7445	340	8729	390	9894		
41	1053	91	2336	141	3620	191	4904	241	6187	291	7471	341	8755	391	9912		
42	1078	92	2362	142	3646	192	4929	242	6213	292	7497	342	8780	392	9930		
43	1104	93	2388	143	3671	193	4955	243	6239	293	7522	343	8806	393	9947		
44	1130	94	2413	144	3697	194	4981	244	6264	294	7548	344	8832	394	9965		
45	1155	95	2439	145	3723	195	5006	245	6290	295	7574	345	8857	395	9982		
46	1181	96	2465	146	3748	196	5032	246	6316	296	7599	346	8883	396	9998		
47	1207	97	2490	147	3774	197	5058	247	6341	297	7625	347	8909	397	10014		
48	1232	98	2516	148	3800	198	5083	248	6367	298	7651	348	8934	398	10030		
49	1258	99	2542	149	3825	199	5109	249	6393	299	7676	349	8960	399	10046		
50	1284	100	2567	150	3851	200	5135	250	6418	300	7702	350	8985	400	10061		

**DEPTH GAGE CHART FOR ZCL COMPOSITES INC. VERTICAL STORAGE TANKS  
MODEL P86V - 100 BARRELS**

LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)
0	0	50	2392	100	4784	150	7176	200	9568	250	11960	300	14247	350	15805
1	48	51	2440	101	4832	151	7224	201	9616	251	12008	301	14288	351	15824
2	96	52	2488	102	4880	152	7271	202	9663	252	12055	302	14329	352	15841
3	144	53	2535	103	4927	153	7319	203	9711	253	12103	303	14369	353	15859
4	191	54	2583	104	4975	154	7367	204	9759	254	12151	304	14409	354	15875
5	239	55	2631	105	5023	155	7415	205	9807	255	12199	305	14449	355	15891
6	287	56	2679	106	5071	156	7463	206	9855	256	12247	306	14488	356	15906
7	335	57	2727	107	5119	157	7511	207	9903	257	12295	307	14527	357	15921
8	383	58	2775	108	5167	158	7559	208	9950	258	12342	308	14566	358	15935
9	431	59	2822	109	5214	159	7606	209	9998	259	12390	309	14604	359	15948
10	478	60	2870	110	5262	160	7654	210	10046	260	12438	310	14642	360	15961
11	526	61	2918	111	5310	161	7702	211	10094	261	12485	311	14680	361	15972
12	574	62	2966	112	5358	162	7750	212	10142	262	12533	312	14717	362	15984
13	622	63	3014	113	5406	163	7798	213	10190	263	12581	313	14754	363	15994
14	670	64	3062	114	5454	164	7846	214	10238	264	12628	314	14791	364	16004
15	718	65	3110	115	5501	165	7893	215	10285	265	12676	315	14827	365	16013
16	765	66	3157	116	5549	166	7941	216	10333	266	12723	316	14863	366	16022
17	813	67	3205	117	5597	167	7989	217	10381	267	12770	317	14898	367	16030
18	861	68	3253	118	5645	168	8037	218	10429	268	12818	318	14933	368	16037
19	909	69	3301	119	5693	169	8085	219	10477	269	12865	319	14968	369	16043
20	957	70	3349	120	5741	170	8133	220	10525	270	12912	320	15002	370	16049
21	1005	71	3397	121	5788	171	8180	221	10572	271	12959	321	15036	371	16054
22	1052	72	3444	122	5836	172	8228	222	10620	272	13006	322	15069	372	16058
23	1100	73	3492	123	5884	173	8276	223	10668	273	13052	323	15102	373	16061
24	1148	74	3540	124	5932	174	8324	224	10716	274	13099	324	15134	374	16064
25	1196	75	3588	125	5980	175	8372	225	10764	275	13145	325	15166	375	16066
26	1244	76	3636	126	6028	176	8420	226	10812	276	13192	326	15198	376	16067
27	1292	77	3684	127	6076	177	8467	227	10859	277	13238	327	15229	377	16067
28	1339	78	3731	128	6123	178	8515	228	10907	278	13284	328	15260		
29	1387	79	3779	129	6171	179	8563	229	10955	279	13330	329	15290		
30	1435	80	3827	130	6219	180	8611	230	11003	280	13376	330	15320		
31	1483	81	3875	131	6267	181	8659	231	11051	281	13421	331	15349		
32	1531	82	3923	132	6315	182	8707	232	11099	282	13467	332	15378		
33	1579	83	3971	133	6363	183	8754	233	11146	283	13512	333	15406		
34	1627	84	4018	134	6410	184	8802	234	11194	284	13557	334	15434		
35	1674	85	4066	135	6458	185	8850	235	11242	285	13602	335	15461		
36	1722	86	4114	136	6506	186	8898	236	11290	286	13646	336	15488		
37	1770	87	4162	137	6554	187	8946	237	11338	287	13691	337	15514		
38	1818	88	4210	138	6602	188	8994	238	11386	288	13735	338	15540		
39	1866	89	4258	139	6650	189	9042	239	11433	289	13779	339	15565		
40	1914	90	4305	140	6697	190	9089	240	11481	290	13823	340	15590		
41	1961	91	4353	141	6745	191	9137	241	11529	291	13866	341	15614		
42	2009	92	4401	142	6793	192	9185	242	11577	292	13910	342	15637		
43	2057	93	4449	143	6841	193	9233	243	11625	293	13953	343	15660		
44	2105	94	4497	144	6889	194	9281	244	11673	294	13996	344	15683		
45	2153	95	4545	145	6937	195	9329	245	11721	295	14038	345	15705		
46	2201	96	4593	146	6984	196	9376	246	11768	296	14080	346	15726		
47	2248	97	4640	147	7032	197	9424	247	11816	297	14122	347	15747		
48	2296	98	4688	148	7080	198	9472	248	11864	298	14164	348	15767		
49	2344	99	4736	149	7128	199	9520	249	11912	299	14206	349	15786		

**DEPTH GAGE CHART FOR ZCL COMPOSITES INC. VERTICAL STORAGE TANKS  
MODEL P86V - 150 BARRELS**

LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)	LIQUID DEPTH (cm)	VOLUME (liters)
0	0	100	4784	200	9568	300	14352	400	19136	500	23470
2	96	102	4880	202	9663	302	14447	402	19231	502	23529
4	191	104	4975	204	9759	304	14543	404	19327	504	23586
6	287	106	5071	206	9855	306	14639	406	19423	506	23641
8	383	108	5167	208	9950	308	14734	408	19518	508	23694
10	478	110	5262	210	10046	310	14830	410	19614	510	23745
12	574	112	5358	212	10142	312	14926	412	19710	512	23794
14	670	114	5454	214	10238	314	15021	414	19805	514	23841
16	765	116	5549	216	10333	316	15117	416	19901	516	23885
18	861	118	5645	218	10429	318	15213	418	19997	518	23927
20	957	120	5741	220	10525	320	15308	420	20092	520	23967
22	1052	122	5836	222	10620	322	15404	422	20188	522	24004
24	1148	124	5932	224	10716	324	15500	424	20284	524	24039
26	1244	126	6028	226	10812	326	15595	426	20379	526	24071
28	1339	128	6123	228	10907	328	15691	428	20475	528	24101
30	1435	130	6219	230	11003	330	15787	430	20571	530	24128
32	1531	132	6315	232	11099	332	15882	432	20666	532	24153
34	1627	134	6410	234	11194	334	15978	434	20761	534	24175
36	1722	136	6506	236	11290	336	16074	436	20856	536	24194
38	1818	138	6602	238	11386	338	16170	438	20951	538	24210
40	1914	140	6697	240	11481	340	16265	440	21045	540	24223
42	2009	142	6793	242	11577	342	16361	442	21139	542	24234
44	2105	144	6889	244	11673	344	16457	444	21233	544	24241
46	2201	146	6984	246	11768	346	16552	446	21326	546	24246
48	2296	148	7080	248	11864	348	16648	448	21418	548	24248
50	2392	150	7176	250	11960	350	16744	450	21510		
52	2488	152	7271	252	12055	352	16839	452	21602		
54	2583	154	7367	254	12151	354	16935	454	21692		
56	2679	156	7463	256	12247	356	17031	456	21782		
58	2775	158	7559	258	12342	358	17126	458	21871		
60	2870	160	7654	260	12438	360	17222	460	21959		
62	2966	162	7750	262	12534	362	17318	462	22047		
64	3062	164	7846	264	12629	364	17413	464	22133		
66	3157	166	7941	266	12725	366	17509	466	22218		
68	3253	168	8037	268	12821	368	17605	468	22303		
70	3349	170	8133	270	12916	370	17700	470	22386		
72	3444	172	8228	272	13012	372	17796	472	22468		
74	3540	174	8324	274	13108	374	17892	474	22549		
76	3636	176	8420	276	13204	376	17987	476	22629		
78	3731	178	8515	278	13299	378	18083	478	22707		
80	3827	180	8611	280	13395	380	18179	480	22784		
82	3923	182	8707	282	13491	382	18274	482	22860		
84	4018	184	8802	284	13586	384	18370	484	22934		
86	4114	186	8898	286	13682	386	18466	486	23007		
88	4210	188	8994	288	13778	388	18561	488	23078		
90	4305	190	9089	290	13873	390	18657	490	23148		
92	4401	192	9185	292	13969	392	18753	492	23216		
94	4497	194	9281	294	14065	394	18848	494	23282		
96	4593	196	9376	296	14160	396	18944	496	23347		
98	4688	198	9472	298	14256	398	19040	498	23409		

**DEPTH GAGE CHART FOR ZCL COMPOSITES INC. VERTICAL STORAGE TANKS  
MODEL P86V - 20000 litres**

LIQUID		LIQUID		LIQUID		LIQUID		LIQUID	
DEPTH	VOLUME	DEPTH	VOLUME	DEPTH	VOLUME	DEPTH	VOLUME	DEPTH	VOLUME
(cm)	(liters)	(cm)	(liters)	(cm)	(liters)	(cm)	(liters)	(cm)	(liters)
0	0	100	4784	200	9568	300	14352	400	18916
2	96	102	4880	202	9663	302	14447	402	18989
4	191	104	4975	204	9759	304	14543	404	19060
6	287	106	5071	206	9855	306	14639	406	19129
8	383	108	5167	208	9950	308	14734	408	19197
10	478	110	5262	210	10046	310	14830	410	19264
12	574	112	5358	212	10142	312	14926	412	19328
14	670	114	5454	214	10238	314	15021	414	19391
16	765	116	5549	216	10333	316	15117	416	19452
18	861	118	5645	218	10429	318	15213	418	19511
20	957	120	5741	220	10525	320	15308	420	19568
22	1052	122	5836	222	10620	322	15404	422	19623
24	1148	124	5932	224	10716	324	15500	424	19676
26	1244	126	6028	226	10812	326	15595	426	19727
28	1339	128	6123	228	10907	328	15691	428	19776
30	1435	130	6219	230	11003	330	15787	430	19822
32	1531	132	6315	232	11099	332	15882	432	19867
34	1627	134	6410	234	11194	334	15978	434	19909
36	1722	136	6506	236	11290	336	16074	436	19948
38	1818	138	6602	238	11386	338	16170	438	19986
40	1914	140	6697	240	11481	340	16265	440	20020
42	2009	142	6793	242	11577	342	16361	442	20053
44	2105	144	6889	244	11673	344	16456	444	20083
46	2201	146	6984	246	11768	346	16552	446	20110
48	2296	148	7080	248	11864	348	16647	448	20134
50	2392	150	7176	250	11960	350	16743	450	20156
52	2488	152	7271	252	12055	352	16838	452	20175
54	2583	154	7367	254	12151	354	16932	454	20191
56	2679	156	7463	256	12247	356	17027	456	20205
58	2775	158	7559	258	12342	358	17121	458	20215
60	2870	160	7654	260	12438	360	17214	460	20223
62	2966	162	7750	262	12534	362	17307	462	20228
64	3062	164	7846	264	12629	364	17400	464	20229
66	3157	166	7941	266	12725	366	17492		
68	3253	168	8037	268	12821	368	17583		
70	3349	170	8133	270	12916	370	17674		
72	3444	172	8228	272	13012	372	17764		
74	3540	174	8324	274	13108	374	17853		
76	3636	176	8420	276	13204	376	17941		
78	3731	178	8515	278	13299	378	18028		
80	3827	180	8611	280	13395	380	18115		
82	3923	182	8707	282	13491	382	18200		
84	4018	184	8802	284	13586	384	18284		
86	4114	186	8898	286	13682	386	18368		
88	4210	188	8994	288	13778	388	18450		
90	4305	190	9089	290	13873	390	18531		
92	4401	192	9185	292	13969	392	18610		
94	4497	194	9281	294	14065	394	18689		
96	4593	196	9376	296	14160	396	18766		
98	4688	198	9472	298	14256	398	18842		